

NSLS OHSAS Job Risk Assessment

The only official copy of this file is the one on-line in the NSLS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the NSLS ESH website.

Name(s) of Risk Team Members: D. Abel, B. Chmiel, B. Kushner, J. Newburgh, M. Schwarz	Point Value → Parameter ↓	1	2	3	4	5
Job Title: Use of Portable Ladders Job Number or Job Identifier: LS-JRA-0036	Frequency (B)	≤once/year	≤once/month	≤once/week	≤once/shift	>once/shift
Job Description: Using portable ladders throughout the NSLS facility	Severity (C)	First Aid Only	Medical Treatment	Lost Time	Partial Disability	Death or Permanent Disability
Training and Procedure List (Optional):	Likelihood (D)	Extremely Unlikely <<1x/20yrs	Unlikely 1x/10-20yrs	Possible >1x/10-20yrs	Probable 1x/yr	Multiple >1x/yr
Approved by: W. R. Casey Date: 8/15/05 Rev. # 1 Revision Log						
Stressors (if applicable, please list all):		Reason for Revision (if applicable):			Comments:	

Job Step / Task	Hazard	Before Controls						Initial Controls	After Initial Controls					Control(s) Added to Reduce Risk	After Additional Controls					
		Stressors Y/N	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD		# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD		# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	% Risk Reduction
Installing and removing portable ladder from worksite.	Overexertion injuries-excessive lifting, pushing, pulling, holding or carrying	N	1	3	3	2	18	Proper lifting techniques, use of Assistant for lift, training	1	3	2	2	12							
	Being struck by an object.	N	1	3	2	3	18	Use of Assistant for lift, training	1	3	2	2	12							

NSLS OHSAS Job Risk Assessment

The only official copy of this file is the one on-line in the NSLS ESH website. Before using a printed copy, verify that it is the most current version by checking the document issue date on the NSLS ESH website.

		Before Controls							After Initial Controls						After Additional Controls					
Job Step / Task	Hazard	Stressors Y/N	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	Initial Controls	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	Control(s) Added to Reduce Risk	# of People A	Frequency B	Severity C	Likelihood D	Risk* AxBxCxD	% Risk Reduction
	Becoming compressed by an object (pinch point)	N	1	3	2	3	18	Proper lifting techniques	1	3	2	2	12							
Working from a portable ladder.	Falls to lower level.	N	1	3	5	3	45	Ladder safety training, inspecting ladder before use, Tier I	1	3	5	2	30							
Carrying or working with tools on a portable ladder	Being struck by dropped object.	N	1	3	3	3	27	Using ropes to lift objects, ladder safety training	1	3	3	2	18							
Further Description of Controls Added to Reduce Risk:																				
*Risk:	0 to 20 Negligible	21 to 40 Acceptable				41 to 60 Moderate				61 to 80 Substantial				81 or greater Intolerable						